

| | | | | | | |
|----------|---------|---|---|----|----|------------------|
| S26 4 | 208 | (((((current or voltage) near2 (spike or transient or surge)) with ((power near2 (supply or supplies)) or battery)) same ((voltage near2 capacitor) or charge)) and motor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/06/10 01:23 |
| S26 5 | 52 | (((((current or voltage) near2 (spike or transient or surge)) with ((power near2 (supply or supplies)) or battery)) same ((voltage near2 capacitor) or charge)) and motor) and ("318"/\$.ccls. or "388"/\$.ccls. or "700"/\$.ccls. or "361"/\$.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2004/06/10 01:24 |
| S26 6 | 25 | ("5574608" "4804901" "4410845") | US-PGPUB; USPAT | OR | ON | 2004/12/22 13:10 |
| S26 7 | 3 | ("5574608" "4804901" "4410845").pn. | US-PGPUB; USPAT | OR | ON | 2004/12/22 13:13 |
| S26 8 | 1654556 | (charge or charged or charging) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 13:14 |
| S26 9 | 156220 | voltage near3 (capacitor or capacitance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 13:14 |
| S27 0 | 4 | ("6577088" "6710567").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 13:15 |
| S27 1 | 2 | ("6577088" "6710567").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:22 |
| S27 2 | 16604 | 700/1-89.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:23 |
| S27 3 | 1442 | S272 and S268 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:23 |
| S27 4 | 6281 | S272 and (spindle or disk or disc or recording or storage) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:24 |
| S27 5 | 906 | S268 and S274 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:27 |

| | | | | | | |
|----------|--------|--|---|----|----|------------------|
| S27 6 | 21079 | S268 same (spike or spiking or transient) | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 13:27 |
| S27 7 | 23 | S274 and S276 | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 14:39 |
| S27 8 | 132013 | (current or sense or sensing) near3 (resistor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S27 9 | 51929 | S278 same (S268 or capacitance or capacitor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S28 0 | 118 | S279 and S272 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:44 |
| S28 1 | 102394 | "318"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:44 |
| S28 2 | 2668 | S279 and S281 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S28 3 | 89558 | (current or sense or sensing) near2 (resistor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S28 4 | 33856 | S283 same (S268 or capacitance or capacitor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S28 5 | 1818 | S284 and S281 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |

| | | | | | | |
|----------|---------|--|---|----|----|------------------|
| S28 6 | 1687 | S285 and motor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:45 |
| S28 7 | 6427489 | (limit or level or threshold or value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:50 |
| S28 8 | 255557 | (S268 or S269) with S287 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:53 |
| S28 9 | 151454 | (S268 or S269) near5 S287 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 14:53 |
| S29 0 | 6427489 | (limit or level or threshold or value) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:37 |
| S29 1 | 1654556 | (charge or charged or charging) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:37 |
| S29 2 | 156220 | voltage near3 (capacitor or capacitance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:42 |
| S29 3 | 133767 | (S291 or S292) near4 S290 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:43 |
| S29 4 | 16604 | 700/1-89.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 17:42 |
| S29 5 | 102394 | "318"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 17:42 |
| S29 6 | 9126 | "388"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 17:42 |

| | | | | | | |
|----------|--------|---|---|----|----|------------------|
| S29 7 | 115214 | voltage near2 (capacitor or capacitance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:42 |
| S29 8 | 94122 | S291 near3 S290 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:44 |
| S29 9 | 27096 | S292 near3 S290 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:44 |
| S30 0 | 101840 | S291 near5 (battery or batteries) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:46 |
| S30 1 | 79888 | S298 not S300 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:46 |
| S30 2 | 25282 | S299 not S300 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:46 |
| S30 3 | 224 | S301 and S296 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:00 |
| S30 4 | 1262 | S301 and S295 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 17:46 |
| S30 5 | 260589 | (spike or spiking or spiked or transient) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:01 |
| S30 6 | 2740 | (S298 or S299) same S305 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:01 |

| | | | | | | |
|----------|--------|---|---|----|-----|------------------|
| S30 7 | 160 | S306 and (S294 or S295 or S296) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:03 |
| S30 8 | 135686 | "361"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:02 |
| S30 9 | 490 | S306 and (S294 or S295 or S296 or S308) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:02 |
| S31 0 | 6122 | S305 near4 ((power or voltage or current) near2 (supply or source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:05 |
| S31 1 | 1149 | S310 and (S293) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:05 |
| S31 2 | 55 | S311 and (S294 or S295 or S296) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:39 |
| S31 3 | 203 | S311 and (S294 or S295 or S296 or S308) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 18:05 |
| S31 4 | 1 | "5191269".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO | OR | ON | 2004/12/22 18:39 |
| S31 5 | 10 | ("3699989" "4262236" "4319173" "4472666" "4499412" "4540926" "4843288" "4988939" "5191269" "5221881").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2004/12/22 18:40 |
| S31 6 | 0 | ("6297603").URPN. | USPAT | OR | OFF | 2004/12/22 18:40 |
| S31 7 | 89558 | (current or sense or sensing) near2 (resistor) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:17 |

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S31 8 | 3420 | S293 same S317 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:17 |
| S31 9 | 192 | S318 and S295 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:18 |
| S32 0 | 39 | S318 and S296 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:18 |
| S32 1 | 429 | S318 and S308 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:18 |
| S32 2 | 117 | S321 and motor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2004/12/22 19:18 |
| S32 3 | 53 | (US-20020079856-\$ or US-20030175017-\$ or US-20030226987-\$).did. or (US-3569807-\$ or US-3577195-\$ or US-3972535-\$ or US-4401933-\$ or US-4410845-\$ or US-4431955-\$ or US-4490656-\$ or US-4514667-\$ or US-4547715-\$ or US-4628443-\$ or US-4673851-\$ or US-4804901-\$ or US-5017854-\$ or US-5034674-\$ or US-5179494-\$ or US-5191269-\$ or US-5245496-\$ or US-5293152-\$ or US-5307439-\$ or US-5339489-\$ or US-5361175-\$ or US-5574608-\$ or US-5594603-\$ or US-5621296-\$ or US-5650705-\$ or US-5684662-\$). did. or (US-5719732-\$ or US-5767639-\$ or US-5821727-\$ or US-5949121-\$ or US-5952817-\$ or US-5990814-\$ or US-6008619-\$ or US-6011375-\$ or US-6011902-\$ or US-6013990-\$ or US-6049143-\$ or US-6150789-\$ or US-6160368-\$ or US-6166503-\$ or US-6252752-\$ or US-6285149-\$ or US-6297603-\$ or US-6366077-\$ or US-6384554-\$ or US-6407523-\$ or US-6462496-\$ or US-6479958-\$ or US-6731082-\$). did. or (JP-01117673-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2005/01/05 13:35 |

| | | | | | | |
|----------|---------|--|---|----|-----|------------------|
| S32 4 | 516 | 361/23.ccls. | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 12:55 |
| S32 5 | 1235855 | (capacitance or charge or charging or charged or (voltage near capacitor)) | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 12:56 |
| S32 6 | 128 | S324 and S325 | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 13:02 |
| S32 7 | 663 | 361/91.1,110.ccls. | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 13:02 |
| S32 8 | 321 | S325 and S327 | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 13:03 |
| S32 9 | 320 | S328 not S326 | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 13:34 |
| S33 0 | 1250 | 361/91,92,93,94,95,96.ccls. | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/11 13:35 |
| S33 1 | 1 | ("4717985").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/11 15:02 |
| S33 2 | 1 | ("5854731").URPN. | USPAT | OR | OFF | 2005/01/11 15:04 |
| S33 3 | 1257 | thermal near2 (interrupt or (circuit adj breaker)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:56 |
| S33 4 | 13 | S333 and (spindle) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:57 |
| S33 5 | 271 | 388/934.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:57 |
| S33 6 | 4 | S335 and spindle | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:58 |
| S33 7 | 130295 | (current near2 (sensor or sensing or detector or detecting)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:58 |
| S33 8 | 26985 | S337 with (power or bus) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:58 |

| | | | | | | |
|----------|-------|--|---|----|----|------------------|
| S33 9 | 318 | S338 and spindle | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:59 |
| S34 0 | 15245 | S337 same (temperature or thermal or heat) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:12 |
| S34 1 | 225 | S340 and spindle | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 15:59 |
| S34 2 | 197 | S341 and motor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:00 |
| S34 3 | 33 | S335 and ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:12 |
| S34 4 | 7145 | "388"/\$.ccls. or S324 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:04 |
| S34 5 | 578 | S344 and ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:04 |
| S34 6 | 246 | S345 and (temperature or thermal or heat) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:04 |
| S34 7 | 815 | S338 same ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:07 |
| S34 8 | 14 | S347 and S344 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:10 |
| S34 9 | 1215 | 318/139.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:10 |

| | | | | | | |
|----------|---------|--|---|----|----|------------------|
| S35 0 | 329 | S337 and S349 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:11 |
| S35 1 | 50 | S340 and S350 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:11 |
| S35 2 | 11 | S351 and ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:11 |
| S35 3 | 5203297 | (temperature or thermal or heat) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:12 |
| S35 4 | 136662 | ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:17 |
| S35 5 | 7602 | S353 with S354 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:13 |
| S35 6 | 823 | S337 and S355 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:13 |
| S35 7 | 212 | S356 and ("318"/\$.ccls. or "388"/\$. ccls. or "361"/\$.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:14 |
| S35 8 | 0 | (inductive adj load) near examples | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:14 |
| S35 9 | 0 | (inductive adj load) near example | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:15 |
| S36 0 | 7610 | (inductive adj load) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:15 |

| | | | | | | |
|----------|--------|--|---|----|-----|------------------|
| S36 1 | 782 | S360 and "361"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:15 |
| S36 2 | 960 | S360 near4 motor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:15 |
| S36 3 | 121 | S362 and "361"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:16 |
| S36 4 | 44 | S363 and S354 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:17 |
| S36 5 | 167774 | ((interrupted or interrupt or decouple or disable or decoupling or decoupled or disabled or disabling or remove or removing or removed or disconnect or disconnected or disconnecting) near3 (power or current or voltage)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/11 16:17 |
| S36 6 | 61 | S363 and S365 | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/12 12:35 |
| S36 7 | 2 | "5959817".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/12 12:35 |
| S36 8 | 2 | ("4717985" "5666066").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/12 12:47 |
| S36 9 | 0 | ("5959817").URPN. | USPAT | OR | OFF | 2005/01/12 12:47 |
| S37 0 | 5 | ("4432031" "4445080" "4451897" "4525763" "4670698").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/12 12:49 |
| S37 1 | 2 | ("5666066").URPN. | USPAT | OR | OFF | 2005/01/12 13:26 |
| S37 2 | 562 | (switched adj capacitor) near2 integrator | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/12 13:27 |
| S37 3 | 11 | S372 and ("318"/\$.ccls. or "361"/\$. ccls.) | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/12 13:28 |

| | | | | | | |
|----------|-------|---|---|----|-----|------------------|
| S37 4 | 11 | S372 and ("318"/\$.ccls. or "361"/\$.ccls. or "388"/\$.ccls.) | US-PGPUB; USPAT; DERWENT | OR | ON | 2005/01/12 13:28 |
| S37 5 | 2 | ("6373650" "6417639").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/12 13:34 |
| S37 6 | 1 | ("6667843").URPN. | USPAT | OR | OFF | 2005/01/12 13:34 |
| S37 7 | 5 | ("5353174" "5821717" "5838515" "6084378" "6229373").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/12 13:46 |
| S37 8 | 2 | ("6417639").URPN. | USPAT | OR | OFF | 2005/01/14 18:06 |
| S37 9 | 8 | one-shot adj comparator | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:07 |
| S38 0 | 360 | one-shot near2 comparator | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:09 |
| S38 1 | 19 | S380 and ("318"/\$.ccls. or "388"/\$.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:12 |
| S38 2 | 499 | ((one-shot) or (one adj shot)) near2 comparator | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:10 |
| S38 3 | 30 | S382 with (integrator or integration) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:10 |
| S38 4 | 2 | S383 and motor | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:10 |
| S38 5 | 77404 | "318"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:10 |
| S38 6 | 30 | S382 and ("318"/\$.ccls. or "388"/\$.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2005/01/14 18:12 |

| | | | | | | |
|----------|-----|--|------------------------------|----|-----|------------------|
| S38 7 | 128 | ("0030678" "2808566" "2832642" "2898420" "3471784" "3538241" "3588611" "3600502" "3622872" "3684955" "3746930" "3775675" "3812337" "3858130" "3869665" "3878460" "3911323" "3914667" "3932790" "3939410" "4052751" "4074193" "4081852" "4087744" "4156846" "4169260" "4214210" "4245187" "4251846" "4264856" "4316187" "4354154" "4356443" "4387336" "4459576" "4466071" "4639817" "4642733" "4644439" "4652867" "4658322" "4697218" "4707759" "4771355" "4810954" "4833564" "4835648" "4845580" "4853818" "4858054" "4866560" "4882682" "4893102" "4901183" "4922368" "4931894" "4939495" "4949214" "4969063" "5010438" "5047724" "5051731" "5121282" "5166861" "5168261" "5179491" "5185684" "5185685" "5185686" "5185687" "5206596" "5208542" "5223795" "5224006" "5257157" "5280404" "5286933" "5307230" "5334939" "5353014" "5359293" "5363269" "5383084" "5388021" "5396179" "5412526" "5414590" "5420740" "5424894" "5434509" "5444424" "5446431" "5448443" "5452223" "5459630" "5477150" "5481235" "5483211" "5485093" "5493278" "5506789" "5510946" "5512832" "5519561" "5531617" "5546266" "5561605" "5568371" "5578931" "5590012" "5602709" "5608328" "5657244" "5659453" "5682101" "5691869" "5701110" "5706154" "5729145" "H000536" "H000538").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/01/17 16:03 |
| S38 8 | 25 | ("5839092").URPN. | USPAT | OR | OFF | 2005/01/17 16:03 |